










Hydraulic Battery Crimper

Item Code	Item	Description
<p>Battery Powered Tool RZ-150</p>		<p>Crimping Force: 3.5T Stroke: 0.354in Crimps per charge: 320 times (Cu 0.232in²) Crimping cycle: 3-6s (depends on the size) Battery voltage: 18V, 3.0Ah Charging time: 2 hours Package: Plastic case Accessories: *Crimping Dies: 4, 6, 8, 10, 16, 25, 35, 50, 70, 95, 120, 150mm² ** Crimping Dies: .006, .009, .012, .015, .024, .038, .054, .077, .108, .147, .186, .232in² Battery: 2pcs Charger: 1pcs</p>
<p>Battery Powered Tool RZ-240</p>		<p>Crimping Force: 5T Stroke: 0.472in Crimps per charge: 170 times (Cu 0.472in) Crimping cycle: 3-6s (depends on the size of cable) Battery voltage: 18V, 3.0Ah Charging time: 2hours Package: Plastic case Accessories: Crimping Dies: 16, 25, 35, 50, 70, 95, 120, 150, 185, 240mm² ** Crimping Dies: .024, .038, .054, .077, .108, .147, .186, .232, .286, .372in² Battery: 2pcs Charger: 1pcs</p>
<p>Battery Powered Tool RZ-300</p>		<p>Crimping force: 6T Stroke: 0.669in Crimping/ charge: 320 times (0.232in² CU cable) Crimping shape: Hexagon Crimping cycle: 3-6s (depend on size) Battery voltage: 14.4v, 3.00Ah Charging time: 2-2.5hs Accessories: *Crimping Dies: 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300mm² ** Crimping Dies: .024, .038, .054, .077, .108, .147, .186, .232, .286, .372, .465in² Package: Plastic Case Batteries: 2pcs Charger: 1pc</p>

Hydraulic Battery Crimper

Item Code	Item	Description
<p>Battery Powered Tool RZ-400</p>		<p>Crimping Force: 12T Stroke: 1.653in Crimps per charge: 120 times (Cu .232in²) Crimping cycle: 6-18s (depends on the size of cable) Battery voltage: 18V, 3.0 Ah Accessories: * Crimping Dies: 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400mm² ** Crimping Dies: .024, .038, .054, .077, .108, .147, .186, .232, .286, .372, .475, .620in² Charging time: 2hours Package: Plastic case Battery: 2pcs Charger: 1pcs</p>
<p>Battery Powered Tool RZ-400U</p>		<p>Crimping Force: 12T Stroke: .787in Crimps per charge: 150 times (Cu .232in²) Crimping cycle: 4-12s (depends on the size of cable) Battery voltage: 18V, 3.0 Ah Charging time: 2hours Package: Plastic case Accessories: *Crimping Dies: 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400mm² ** Crimping Dies: .024, .038, .054, .077, .108, .147, .186, .232, .286, .372, .465, .620in² Battery: 2pcs Charger: 1pcs</p>
<p>Battery Powered Tool RZ-6B</p>		<p>Crimping Force: 6T Stroke: 1.377in Crimping Range: 0.248-0.372in² Crimps per charge: 250 times (Cu 0.232in²) Crimping cycle: 3-6s (depends on the size of cable) Battery voltage: 18V, 3.0 Ah Charging time: 2hours Package: Plastic case Accessories: Battery: 2pcs Charger: 1pcs</p>

Hydraulic Battery Crimper

Item Code	Item	Description
<p>Battery Fitting Tool RZ-1632</p>		<p>Crimping Force: 6T Stroke: 0.669in Crimps per charge: 320 times (Cu 0.232in²) Crimping cycle: 3-6s (depends on the size of cable) Battery voltage: 18V, 3.0 Ah Charging time: 2hours Package: Plastic case Accessories: Crimping die for SV type: .629,.787,.984in Crimping die for H type: .629,.787,.984,1.259in Crimping die for TH type: .629,.787,.984,1.259in</p>
<p>Battery Multi-functional Tool RZ-60UNV</p>		<p>Crimping force:6T Stroke:1.653in Cutting time:8s up to 20s(depending on the cable diameter) Crimping cycle: 5s up to 8s (depending on the conductor) Weight: 11.2lb (battery not inc) Battery voltage:14.4V Battery capacity:3.0Ah Crimping capacity: 120crimps(Cu150mm²) Punching capacity: 60holes(in 0.118)mild steel) Cutting capacity: 70cuts(4*0.108in² NYY) Charging time: 1.5h Accessories: Battery:2pcs Battery charger:1 pc</p>
<p>Battery Powered Fitting Tool RZ-1240</p>		<p>Clamping Force 2T Stroke: 1.574in Clamping range: .472-1.574in Connecting/ charge: 320 times Working cycle: 3s-10s Battery voltage: 18V, 3.0 Ah Charging time: 2hours Package: Plastic case Accessories: Dies: 0.629-0.787in, 0.984-1.259in Battery: 2pcs Charger: 1pc</p>

Hydraulic Battery Crimper

Item Code	Item	Description
<p>Battery Powered Pressing Tool RZ-1528</p>		<p>Rated pressing force: 2.4T Rated working pressure: 50Mpa Piston stroke: 1.377in Applications: Copper, Stainless Steel, Multi-layer composite Pipe, Pex Pipe. Pressing cycle: 3-8s Working temperature: -10°C~40°C. Battery: 18V 3.0Ah Charging time: 2 hours Accessories: Battery: 2pcs Charger: 1pc</p>