





Hydraulic Cutter

Item Code	Item	Description
<p>Hydraulic Cable Cutter RHD-30</p>		<p>Output: 7T Cutting Range: Telephone Cable: 30 Lead Sheathed Cable: 30 Underground Cable: 30 Gross Weigh: 13.2lb Volume: 21.6X9.8X.55in</p>
<p>Hydraulic Cable Cutter RHD-40</p>		<p>Output: 7T Cutting Range: Telephone Cable: 40 Lead Sheathed Cable: 40 Underground Cable: 40 Gross Weight: 13.2lb Volume: 24.4X5.9X5.5Xin</p>
<p>Hydraulic Cable Cutter RZ-45</p>		<p>Cutting Force: 6T Cutting Range: Steel Wire 1.10" Tel Cable or Al/Cu Cable 1.77" ACSR:1.49" Stroke: 1.9 Length:22.04 Weight:10.9 LB</p>
<p>Hydraulic Cable Cutter RHD-85</p>		<p>Output: 8T Cutting Range: Telephone Cable: 85 Lead Sheathed Cable: 85 Underground Cable: 50 Gross Weight: 35.2lb Volume: 33.8X8.2X3.9in</p>

Hydraulic Cutter

Item Code	Item	Description
<p>Hydraulic Cable Cutter RZ-85</p>		<p>Output: 6T Stroke: 86mm/3.385in Cutting Capacity: Amoured Cu/Al cable 3.149in or Al/Cu cable 3.346in Length: 26.7in Weight: 16.7lb Size: 29.7X5.1X9.0in</p>
<p>Hydraulic Cable Cutter RZ-85C</p>		<p>Output: 6T Cutting Capacity: Cu/Al Cable & Amoured Cu/Al cable 3.149in Rated Pressure: 63Mpa Hydraulic Oil: Shell Tellus T15 Working Temperature: -20~50°C</p>
<p>Hydraulic Cable Cutter RZ-105C</p>		<p>Output: 12T Cutting Capacity: Cu/Al Cable & Amoured Cu/Al cable 4.13in Rated Pressure: 66Mpa Hydraulic Oil: Shell Tellus T15 Working Temperature: -20~50°C</p>
<p>Hydraulic Cable Cutter RT-40A</p>		<p>Output: 7T Cutting Capacity: Steel wire 0.98in Tel cable or Al/Cu cable 1.57in ACSR: 1.25in Length: 25.5in Weight: 13.2lb Size: 29.7x5.1x9.05in</p>
<p>Hydraulic Cable Cutter RT-50A</p>		<p>Output: 7T Cutting Capacity: Steel wire 1.18in Tel cable or Al/Cu cable 1.96in ACSR 1.41in Length: 25.5in Weight: 13.6lb Size: 29.7x5.1x9.05in</p>

Hydraulic Cutter

Item Code	Item	Description
<p>Hydraulic Cable Cutter RPC-40A</p>		<p>Output: 7T Cutting Capacity: Steel wire .984in Tel cable or Al/Cu cable 1.574 ACSR .787in Length: 25.5in Weight: 13.3lb Size: 29.7x5.1x9.05in</p>
<p>Hydraulic Cable Cutter RPC-50A</p>		<p>Output: 7T Cutting Capacity: Steel wire 1.18in Tel cable or Al/Cu cable 1.96in ACSR 1.41in Length: 25.5in Weight: 14.3lb Size: 29.7x5.1x9.05in</p>
<p>Hydraulic Cable Cutter RPC-85</p>		<p>Output: 7T Cutting Capacity: Amoured Cu/Al cable 1.968in Tel cable or Al/Cu cable 3.34in Length: 27.9in Weight: 16.53in Size: 29.7x5.11x9.05in</p>
<p>Hydraulic Cable Cutter RPC-40B</p>		<p>Cutting force: 10T Cutting range: Steel wire 0.98in Tel cable or Al/Cu cable 1.57in ACSR 0.78in Length: 11.8in Weight: 6.6lb Size: 13.9x3.5x7.6in</p>
<p>Hydraulic Cable Cutter RPC-50B</p>		<p>Cutting force: 9T Cutting range: Steel wire 1.18in Tel cable or Al/Cu cable 1.96in ACSR: 1.41in Length: 12.2in Weight: 6.6lb Size: 13.9x3.5x7.6in</p>

Hydraulic Cutter

Item Code	Item	Description
<p>Hydraulic Cable Cutter RC-50B</p>		<p>Cutting force: 12T Cutting range: Electric wire 1.96in Tel cable or Al/Cu cable 1.49in Length: 17.5in Weight: 13.2lb Size: 13.9x3.5x7.6in Note: use with any hydraulic or electrical pump</p>
<p>Hydraulic Cable Cutter RPC-85H</p>		<p>Cutting force: 7T Cutting range: 3.34" in max (for telephone cable) 1.96 in max (for armoured Cu/Alu cable) Length: 18.3 in Weight: 18.0 lb Note: use with any hydraulic pump or electrical pump</p>
<p>Hydraulic Cable Cutter RPC-100A</p>		<p>Cutting force: 9T Cutting range: Amoured Cu/Al cable 2.952 in Tel cable or Al/Cu cable 3.93 in Length: 23.2 in Weight: 66 lb</p>

Hydraulic Cutter

Item Code	Item	Description
Hydraulic Cable Cutter RC-130HE	 A black hydraulic cable cutter with a circular cutting head and a long handle.	Cutting force: 12T Cutting range: Amoured Cu/Al cable 5.11in Tel cable or Al/Cu cable 5.11in Length: 2.3in Weight: 29.7lb Size: 23.8x7.6x2.75in
Hydraulic Wedge Connector RKY	 A red hydraulic wedge connector with two handles and a central wedge mechanism.	Punch force: 6T Max Open: 3.7in Stroke: 1.25in Length: approx. 22.2in Weight: approx. 7.4lb