













Ratchet Cutter

Item Code	Item	Description
Ratchet Cable Cutter (RC-325)		<p>Cutting Range: Max.5.9in for Aluminum conductor Length: 10.2in Weight: 1.4lb</p>
Ratchet Cable Cutter RCR-325		<p>Cutting Range:1.2in max. for cutting copper And aluminum cable and multi-core cable Length: 9.8in Weight: 1.6lb Warning: Do not cut steel or steel wire!</p>
Ratchet Cable Cutter (RC-400)		<p>Cutting Range: Max.19.6in for Cu/ Al Conductor Length: 14.1in Weight: 2.12lb</p>
Ratchet Cable Cutter (RC-500)		<p>Cutting Range: Max.19.6in for Aluminum conductor 15.7in for soft copper conductor Length: 16.1in Weight: 3.9lb</p>






Ratchet Cutter

Item Code	Item	Description
Ratchet Cable Cutter RCR-500		Cutting Range:19.6in max. for Al conductor 15.7in max. for Cu conductor Length: 12.5in Weight: 2.2lb Warning: Do not cut steel or steel wire!
Ratchet Cable Cutter RCR-500S		Cutting Range:19.6in max. for Al conductor 15.7in max. for Cu conductor Length: 9.4 -11.4in Weight: 2.2lb Warning: Do not cut steel or steel wire!
Ratchet Cable Cutter (R40)		Cutting Range: 11.8in max. for amoured Cu/ Alu cable. Length: 14.1in Weight: 2.6lb Warning:It can not cut steel rope, steel wire multi-strands, All conductors steel-reinforced!
Ratchet Cable Cutter (R52)		Cutting Range: Cutting off .775 in2 max. For Cu/ Al armored cables. Length: 15.6 - 22.3in Weight: 6.9lb Size:39.7x16.5x5.4in

Ratchet Cutter

Item Code	Item	Description
<p>Hand Cable Cutter (RCR-125S)</p>		<p>Cutting Range: Max .186in² for Al/ Cu Conductor Length: 11.8 - 15.7in Weight: 2.12lb Features: With Telescopic handle Warning: Do not cut steel or steel wire!</p>
<p>Hand Cable Cutter (RCR-250S)</p>		<p>Cutting Range: Max. .372in² for Al/ Cu Conductor Length: 16.3 - 22.2in Weight: 5.0lb Features: With Telescopic handle Warning: Do not cut steel or steel wire!</p>
<p>Ratchet Cable Cutter (R75)</p>		<p>Cutting Range: 3X.186in² armoured Cu cable 2.95" armoured Alu cable Length: approx. 16.9in Weight: approx. 9.9lb Warning: It can not cut steel rope, steel wire multi-strands, All conductors steel-reinforced!</p>
<p>Ratchet Cable Cutter RCR-65 (With Telescopic handle)</p>		<p>Cutting Range: 2.55in armoured Alu cable Length- approx.13.7 - 17.3in Weight- approx. 6.9lb Warning: It can not cut steel rope, steel wire multi-strands, All conductors steel-reinforced!</p>

Ratchet Cutter

Item Code	Item	Description
Ratchet Cable Cutter R95 (With Telescopic handle)		Cutting Range:Max 3×0.372in ² or 95mm for amoured Cu/Alu cable Weight:12.9lb Size: 32.2x10.6x2.5in
Ratchet Cable Cutter R100 (With Telescopic handle)		Cutting Range: 3.54in armoud Cu/ Al cable Length: approx. 18.8in Weight: approx. 13.14lb Warning:It can not cut steel rope, steel wire multi-strands, All conductors steel-reinforced!
Ratchet Cable Cutter R130(With Telescopic handle)		Cutting Range:For cutting off Al/Cu armored cable with a diameter smaller than 5.11in Length: 20.6in Weight: 18.1in Size:20.6x12.9x2.3in
Ratchet Cable Cutter R160 (With Telescopic handle)		Cutting Range:For cutting off Al/Cu armored cable with a diameter smaller than 6.29in Length: 22 -28.9in Weight: 25.5lb Size:22x15.3x2.23in
Steel Wire Cutting Tool R13		Cutting Range:For cutting off prestressed steel wire which is smaller than 5.90in For cutting off ACSR (Aluminum Conductors Steel- Reinforced) Which is smaller than 1.11in ² Length: 13.5-20.2in Weight: 4.2lb Size:13.5x4.9x1.81in


Item Code	Item	Description
-----------	------	-------------

Ratchet Cutter

<p>Steel Wire Cutting Tool R25</p>		<p>Cutting Range: For cutting off prestressed steel wire which is smaller than .232in² For cutting off ACSR(Aluminum Conductors Steel-Reinforced) Which is smaller than 1.24in² Length: approx. 13.5-20.2in Weight: approx. 7.6lb Package: canvas bag Size: 29.3x5.31x1.96in</p>
<p>Steel Wire Cutting Tool R30</p>		<p>Cutting Range For cutting off prestressed steel wire which is smaller than .155in² For cutting off ACSR(Aluminum Conductors Steel-Reinforced) Which is smaller than 0.97in² Length approx. 15.9-20.2in Weight approx. 8.3lb Package canvas bag Size 15.9x6.29x2.51in</p>
<p>Hand Cutting Tool RS-125</p>		<p>Cutting Range: Max.0.186in² for Aluminum conductor 0.147in² for soft copper conductor Length: 13.7in Weight: 1.2lb</p>
<p>Hand Cutting Tool RS-250</p>		<p>Cutting Range: Max.0.372in² for Aluminum conductor 0.286 in² for soft copper conductor Length: 21.2in Weight: 3.1lb</p>


Item Code	Item	Description
-----------	------	-------------

Ratchet Cutter

<p>Hand Cutting Tool RS-500</p>		<p>Cutting Range: Max.0.775in² for Aluminum conductor 0.620in² for soft copper conductor Length: 27.16in Weight: 5.4 lb</p>
<p>Hand Cutting Tool RC-100</p>		<p>Cutting Range: Max.0.465in² for Cu/ Alu Conductor Length: 23.6in Weight: 3.9lb</p>
<p>Hand Cutting Tool RC-250</p>		<p>Cutting Range: Max. .465in² for Cu/ Alu Conductor Length: approx.23.6in Weight: approx. 3.9lb</p>
<p>Hand Cutting Tool RC-500</p>		<p>Cutting Range: Max. .775in² for Al/ Cu Conductor Length: 31.8in Weight: 2.7lb</p>

Item Code	Item	Description
-----------	------	-------------

Ratchet Cutter

<p>Ratchet Cable Cutter RLJ-D-500</p>		<p>Capable of Cutting Cu/AL Cables Cutting Capacity: .775in² Telescopic Handles Forged Blades Linen Bags</p>
<p>Ratchet Cable Cutter RLJ-D-500B</p>		<p>Cutting Capacity : ACSR .930in² Steel Core Cables : 1.25in Steel Wire Strands : 0.47in Steel Bar : 0.47in</p>
<p>Ratchet Cable Cutter RLJ-65A</p>		<ol style="list-style-type: none"> 1.Ratchet Cable Cutter for Cu/AL cables 2.Cutting Capacity Dia.2.55in 3.Telescopic Handles 4.Package Linen bags